



BATTERY ACCESSORIES

COMPONENT LIST FOR TRACTION BATTERIES

REDUCER



◀ **BAT/17277:** 10/6

"L" CONNECTORS



◀ **BAT/21762:** 6/0

◀ **BAT/19814:** 6/6

◀ **BAT/16293:** 10/6

◀ **BAT/16297:** 10/10

"T" CONNECTORS



◀ **BAT/17356:** 10/10/10

◀ **BAT/16295:** 10/6/10

◀ **BAT/17354:** 6/10/6

◀ **BAT/21764:** 6/6/6

"X" CONNECTORS



◀ **BAT/16291:** 10/10/10/10

◀ **BAT/19292:** 6/10/6/10

◀ **BAT/21766:** 6/6/6/6

WASH LOCKER



◀ **BAT/22107:** Ø 14 mm

◀ **BAT/22109:** Ø 9 mm

END CAP



◀ **BAT/21097**

PROTECTION CAP



◀ **BAT/34730:** Protection cap for male link RC



PLUG LIFTER

▲ **BAT/47535**



SLIDE TOOL

▲ **BAT/47536**

Tool to fix wash locker

ASSEMBLING TOOL



▲ **BAT/47534**

To ease and quicken the assembly of a bfs plug



FLEXIBLE INTERCELL CONNECTOR

Screwed cable connections



Reference	Ø mm ²	length mm
BAT/16225	25	75
BAT/16226	25	85
BAT/16227	25	95
BAT/16228	25	110
BAT/16229	25	130
BAT/16233	35	75
BAT/12444	35	85
BAT/16234	35	95
BAT/16235	35	110
BAT/16236	35	130
BAT/16237	35	150
BAT/16238	35	170
BAT/16239	35	190
BAT/34760	50	75
BAT/16244	50	95
BAT/16245	50	110
BAT/16246	50	130
BAT/16247	50	150

Reference	Ø mm ²	length mm
BAT/16248	50	170
BAT/16249	50	190
BAT/16250	50	210
BAT/16251	50	250
BAT/16252	50	300
BAT/16253	50	350
BAT/34768	70	95
BAT/45713	70	110
BAT/34773	70	130
BAT/34776	70	150
BAT/34778	70	170
BAT/34780	70	190
BAT/34782	70	210
BAT/47009	95	95
BAT/47010	95	130
BAT/47011	95	170
BAT/34795	95	210
BAT/47012	95	250



◀ BAT/16216

End cable screwed

BLACK	Ø mm ²	length mm
BAT/16216	25	1500
BAT/16217	35	1500
BAT/16218	50	1500
BAT/16219	70	1500

BLACK	Ø mm ²	length mm
BAT/16220	25	2000
BAT/16221	35	2000
BAT/16222	50	2000
BAT/16223	70	2000



◀ BAT/47480

End cable with fuse

Reference	Ø mm ²	length mm	fuse
BAT/47480	25	1000	200A
BAT/47481	35	1000	500A
BAT/47482	35	1200	300A
BAT/45672	35	1500	300A
bat/47483	35	1500	400A
BAT/47476	50	1200	250A

Reference	Ø mm ²	length mm	fuse
BAT/45690	50	1500	400A
BAT/47477	50	1500	400A
BAT/47475	50	1500	500A
BAT/47478	70	1200	250A
BAT/47479	70	1500	500A






BATTERY ACCESSORIES

COMPONENT LIST FOR TRACTION BATTERIES







RECOMMENDED DIAMETER MM² CONNECTORS

0 - 250 Ah	25 mm ²	25 - 500 Ah	35 mm ²	500 - 750 Ah	50 mm ²	750 Ah - ...	70 mm ²
------------	--------------------	-------------	--------------------	--------------	--------------------	--------------	--------------------




24 VOLT BATTERIES



36 & 48 VOLT BATTERIES



72 & 80 VOLT BATTERIES





BAT/12421

Soldered connection

REF	length (mm)	weight (g)
BAT/12421	46	150
BAT/12422	52	164
BAT/16255	54	160
BAT/12423	65	200
BAT/12424	68	201
BAT/16257	72	216
BAT/12425	78	229
BAT/12426	82	238
BAT/12428	86	249
BAT/12429	90	278
BAT/12430	95	295
BAT/12431	98	303
BAT/12432	100	310
BAT/12433	104	322
BAT/12434	109	339
BAT/12435	115	361
BAT/12436	118	365
BAT/12437	123	389
BAT/12438	130	402
BAT/12439	137	422
BAT/12440	142	436
BAT/12441	148	455
BAT/12442	155	479
BAT/12443	160	489



BAT/22068

Protection cap 1 black

REF	type	For welded connections (mm)
BAT/12447	1	46
BAT/12448	1,5	52
BAT/12449	2	65-68-72
BAT/12450	2,5	78-82-86
BAT/12451	3	90-95-98
BAT/12452	3,5	100-104
BAT/12453	4	109-115-118
BAT/12454	5	123-130-137
BAT/12455	6	148-155-160
BAT/12456	7	
BAT/12457	8	54+82+54 (7P2S 4P)
BAT/16275	9	82+72+82 (8P2S 4P)
BAT/12458	9,5	82+109+82 (9P2S 4P)
BAT/16276	10	82+109+82 (10P2S 4P)



BAT/12446

Black bolt for screwed connections



BAT/19799

Bolt M10X23 with aux. Contact



BAT/12476

Protection cap for welded end connection



BAT/12478 - SX

Protection cap for conical shaped end SX



BAT/16210 - 4P-G (7SH)

Protection cap for conical shaped end 4P



BAT/22062

Protection cap for end connection

BAT/16211 - 4P-G (8/9/10SH)

Protection cap for conical shaped end 4P



BAT/22060

Protection cap for end connection

BAT/22064 - SX

Intermediate cap DX

BAT/22066 - DX

Intermediate cap SX



BAT/12488

Positive terminal & protection cap

BAT/12489

Negative terminal & protection cap



BAT/13882

Welded end connection & protection cap



BAT/16212

End connection 01093 complete for CT



BATTERY ACCESSORIES

COMPONENT LIST FOR TRACTION BATTERIES

SIGNIFICATION

- (+) Positive terminal +
- (-) Negative terminal -
- dx Right
- sx Left
- 4P Double terminal
- RC Automatic water filling system
- CT Flexible screwed connections
- G Soldered connections



▲ **BAT/16167**

Conical end connection + DX complete
Cable diameter = 35-50

REF	Ø mm	Type
BAT/16167	35 - 50	+ DX
BAT/21775	70 - 95	+ DX
BAT/16168	35 - 50	+ SX
BAT/21779	70 - 95	+ SX
BAT/16169	35 - 50	- DX
BAT/21785	70 - 95	- DX
BAT/16170	35 - 50	- SX
BAT/21789	70 - 95	- SX



▲ **BAT/16201**

Conical end connection 4P + DX complete
Cable diameter = 35-50

REF	Ø mm	Type
BAT/16201	35 - 50	+ DX (7SH)
BAT/21793	70 - 95	+ DX (7SH)
BAT/16202	35 - 50	+ SX (7SH)
BAT/21797	70 - 95	+ SX (7SH)
BAT/21799	35 - 50	- DX (7SH)
BAT/21801	70 - 95	- DX (7SH)
BAT/16204	35 - 50	- SX (7SH)
BAT/21805	70 - 95	- SX (7SH)
BAT/16206	35 - 50	+ DX (8-9-10SH)
BAT/21809	70 - 95	+ DX (8-9-10SH)
BAT/16205	35 - 50	+ SX (8-9-10SH)
BAT/21813	70 - 95	+ SX (8-9-10SH)
BAT/16207	35 - 50	- DX (8-9-10SH)
BAT/21817	70 - 95	- DX (8-9-10SH)
BAT/16208	35 - 50	- SX (8-9-10SH)
BAT/21821	70 - 95	- SX (8-9-10SH)



▲ **BAT/12486**

Conical insert + (cable diameter=35-50)

REF	Ø mm	Type
BAT/12486	35 - 50	+
BAT/12487	35 - 50	-
BAT/21825	70 - 95	+
BAT/21827	70 - 95	-



▲ **BAT/22167**

Fixation for cable diameter = 25



▲ **BAT/22161**

Fixation for cable diameter = 35

▲ **BAT/22165**

Fixation for cable diameter = 50

▲ **BAT/22167**

Fixation for cable diameter = 70




▲ **BAT/21836**

Auxiliary contact for welded connections



BAT/18330
Flexible welded connections

Reference	Ø /mm²	Length mm
BAT/18330	35	93
BAT/18332	35	104
BAT/18334	35	113
BAT/18336	35	129
BAT/18340	50	93
BAT/18342	50	104
BAT/18346	50	141
BAT/18350	70	95
BAT/18354	70	113



BAT/18358
Flexible welded connections:
1 x welded and 1 x screwed

Reference	Ø /mm²	Length mm
BAT/18358	35	93
BAT/18362	35	113
BAT/18364	35	129
BAT/18368	50	93
BAT/18372	50	122
BAT/18374	50	141
BAT/18375	50	165
BAT/18378	70	93
BAT/18382	70	113



BAT/16323
Soldering disc



BAT/16180
Soldering disc



BAT/12482
Soldering disc for welded end connection



BAT/16321
Soldering disc for conical end connection 4P



BAT/16324
Mould for the terminals of a starting battery (-)




BAT/16325
Mould for the terminals of a starting battery (+)

BAT/23269
Hoisting tongs for traction cells



BAT/16307
Hoisting hook black



BAT/16308
Hoisting hook white



BAT/16305
+ red

BAT/22153
Stickers

BAT/16306
- blue

SPACER PLATES



REF	Size
BAT/12470	200 x 400 x 5 mm
BAT/21869	200 x 400 x 15 mm
BAT/21871	200 x 400 x 20 mm
BAT/12471	200 x 450 x 5 mm
BAT/21873	200 x 455 x 15 mm
BAT/21875	200 x 455 x 20 mm
BAT/12474	200 x 560 x 5 mm
BAT/21885	200 x 560 x 15 mm
BAT/21887	200 x 560 x 20 mm
BAT/21889	200 x 690 x 15 mm
BAT/21891	200 x 690 x 20 mm
BAT/21893	200 x 405 x 5 mm



REF	Size
BAT/12466	690 x 2000 x 5 mm
BAT/34871	690 x 2000 x 10 mm

--	--	--	--	--



BATTERY ACCESSORIES

COMPONENT LIST FOR TRACTION BATTERIES

ELEMENT CONTAINER


▼ BAT/21971

Element container grey

REF	Description	Height
BAT/21971	2S55-SH65 PF 20	330 mm
BAT/21973	3S55-SH65 PF 20	330 mm
BAT/21975	4S55-SH65 PF 20	330 mm
BAT/21977	5S55-SH65 PF 20	330 mm
BAT/21979	6S55-SH65 PF 20	330 mm
BAT/21981	7S55-SH65 PF 20	330 mm
BAT/21983	8S55-SH65 PF 20	330 mm
BAT/21985	9S55-SH65 PF 20	330 mm
BAT/21987	10S55-SH65 PF 20	330 mm
BAT/21989	12S55-SH65 PM 20	330 mm
BAT/21991	2S70-SH80 PF 20	400 mm
BAT/21993	3S70-SH80 PF 20	400 mm
BAT/21995	4S70-SH80 PF 20	400 mm
BAT/21997	5S70-SH80 PF 20	400 mm
BAT/21999	6S70-SH80 PF 20	400 mm
BAT/22001	7S70-SH80 PF 20	400 mm
BAT/22003	8S70-SH80 PF 20	400 mm
BAT/22005	9S70-SH80 PF 20	400 mm
BAT/22007	10S70-SH80 PF 20	400 mm
BAT/22009	12S70-SH80 PF 20	400 mm
BAT/22011	12S70-SH80 PM 20	400 mm
BAT/22013	2S80-SH92 PF 30	460 mm
BAT/22015	3S80-SH92 PF 30	460 mm
BAT/22017	4S80-SH92 PF 30	460 mm
BAT/22019	5S80-SH92 PF 30	460 mm
BAT/22021	6S80-SH92 PF 30	460 mm
BAT/22023	7S80-SH92 PF 30	460 mm
BAT/22025	8S80-SH92 PF 30	460 mm
BAT/22027	9S80-SH92 PF 30	460 mm
BAT/22029	10S80-SH92 PF 30	460 mm
BAT/22031	12S80-SH92 PM 30	460 mm
BAT/22033	2S95-SH110 PF 20	510 mm
BAT/22035	3S95-SH110 PF 20	510 mm
BAT/22037	4S95-SH110 PF 20	510 mm
BAT/22169	5S95-SH110 PF 20	510 mm
BAT/22171	6S95-SH110 PF 20	510 mm
BAT/22173	7S95-SH110 PF 20	510 mm
BAT/22175	8S95-SH110 PF 20	510 mm
BAT/22177	9S95-SH110 PF 20	510 mm
BAT/22179	10S95-SH110 PF 20	510 mm
BAT/22181	12S95-SH110 PM 20	510 mm
BAT/22183	2S100-SH115 PF 20	530 mm
BAT/22185	3S100-SH115 PF 20	530 mm
BAT/22187	4S100-SH115 PF 20	530 mm
BAT/22189	5S100-SH115 PF 20	530 mm
BAT/22191	6S100-SH115 PF 20	530 mm
BAT/22193	7S100-SH115 PF 20	530 mm
BAT/22195	8S100-SH115 PF 20	530 mm
BAT/22197	9S100-SH115 PF 20	530 mm
BAT/22199	10S100-SH115 PF 20	530 mm
BAT/22201	12S100-SH115 PM 20	530 mm

REF	Description	Height
BAT/22203	2S105-SH120 PF 30	565 mm
BAT/22205	3S105-SH120 PF 30	565 mm
BAT/22207	4S105-SH120 PF 30	565 mm
BAT/22209	5S105-SH120 PF 30	565 mm
BAT/22211	6S105-SH120 PF 30	565 mm
BAT/22213	7S105-SH120 PF 30	565 mm
BAT/22215	8S105-SH120 PF 30	565 mm
BAT/22217	9S105-SH120 PF 30	565 mm
BAT/22219	10S105-SH120 PF 30	565 mm
BAT/22221	12S105-SH120 PF 30	565 mm
BAT/22223	12S105-SH120 PM 30	565 mm
BAT/21249	2S125-SH150 PM 50	690 mm
BAT/21250	3S125-SH150 PM 50	690 mm
BAT/21251	4S125-SH150 PM 50	690 mm
BAT/21252	5S125-SH150 PM 50	690 mm
BAT/21253	6S125-SH150 PM 50	690 mm
BAT/22230	7S125-SH150 PM 50	690 mm
BAT/22232	8S125-SH150 PM 50	690 mm
BAT/22234	9S125-SH150 PM 50	690 mm
BAT/22236	10S125-SH150 PM 50	690 mm
BAT/22238	12S125-SH150 PM 50	690 mm
BAT/22240	2S100D-SH115D PM 45	555 mm
BAT/22242	3S100D-SH115D PM 45	555 mm
BAT/22244	4S100D-SH115D PM 45	555 mm
BAT/22246	5S100D-SH115D PM 45	555 mm
BAT/22248	6S100D-SH115D PM 45	555 mm
BAT/22250	7S100D-SH115D PM 45	555 mm
BAT/22252	8S100D-SH115D PM 45	555 mm
BAT/22254	9S100D-SH115D PM 45	555 mm
BAT/22256	10S100D-SH115D PM45	555 mm
BAT/22258	12S100D-SH115D PM45	555 mm
BAT/22260	2SH50 PF 10	265 mm
BAT/22263	3SH50 PF 10	265 mm
BAT/22265	4SH50 PF 10	265 mm
BAT/22267	5SH50 PF 10	265 mm
BAT/22269	6SH50 PF 10	265 mm
BAT/22271	7SH50 PF 10	265 mm
BAT/22273	8SH50 PF 10	265 mm
BAT/22275	9SH50 PF 10	265 mm
BAT/22277	10SH50 PF 10	265 mm
BAT/22279	12SH50 PM 10	265 mm
BAT/22281	2SH160 PF 45	715 mm
BAT/22283	3SH160 PF 45	715 mm
BAT/22285	4SH160 PF 45	715 mm
BAT/22287	5SH160 PF 45	715 mm
BAT/22289	6SH160 PF 45	715 mm
BAT/22291	7SH160 PF 45	715 mm
BAT/22293	8SH160 PF 45	715 mm
BAT/22295	9SH160 PF 45	715 mm
BAT/22297	10SH160 PF 45	715 mm
BAT/22299	12SH160 PM 45	715 mm







BATTERY ACCESSORIES

COMPONENT LIST FOR BATTERIES

BATTERY CONNECTIONS (FOR 6 + 12V BATTERIES)




Length	Ø25	Ø35	Ø50	Ø70	Ø95	Ø120
BATTERY CONNECTION						
75 mm*	BAT/23477	BAT/23491	BAT/23505	BAT/23519	BAT/23533	BAT/23548
95 mm*	BAT/23479	BAT/23493	BAT/23507	BAT/23521	BAT/23535	BAT/23550
190 mm*	BAT/23481	BAT/23495	BAT/23509	BAT/23523	BAT/23537	BAT/23552
280 mm*	BAT/23483	BAT/23497	BAT/23511	BAT/23525	BAT/23539	BAT/23554
300 mm*	BAT/23485	BAT/23499	BAT/23513	BAT/23527	BAT/23541	BAT/23556
350 mm*	BAT/23487	BAT/23501	BAT/23515	BAT/23529	BAT/23543	BAT/23558
400 mm*	BAT/23489	BAT/23503	BAT/23517	BAT/23531	BAT/23545	BAT/23560
END CABLE						
75 mm	BAT/23562	BAT/23576	BAT/23590	BAT/23604	BAT/23618	BAT/23632
95 mm	BAT/23564	BAT/23578	BAT/23592	BAT/23606	BAT/23620	BAT/23634
190 mm	BAT/23566	BAT/23580	BAT/23594	BAT/23608	BAT/23622	BAT/23636
280 mm	BAT/23568	BAT/23582	BAT/23596	BAT/23610	BAT/23624	BAT/23638
300 mm	BAT/23567	BAT/23584	BAT/23598	BAT/23612	BAT/23626	BAT/23640
350 mm	BAT/23572	BAT/23586	BAT/23600	BAT/23614	BAT/23628	BAT/23641
400 mm	BAT/23574	BAT/23588	BAT/23602	BAT/23616	BAT/23630	BAT/23644
ACCESSORIES						
BAT/19782	PVC lid					
BAT/23547	Sticker ⊕					
BAT/23649	Sticker ⊖					
TERMINAL CABLE						
75 mm*	BAT/23651	BAT/23665	BAT/23679	BAT/23693	BAT/23707	BAT/23721
95 mm*	BAT/23653	BAT/23667	BAT/23681	BAT/23695	BAT/23709	BAT/23723
190 mm*	BAT/23655	BAT/23669	BAT/23683	BAT/23697	BAT/23711	BAT/23725
280 mm*	BAT/23657	BAT/23671	BAT/23685	BAT/23699	BAT/23713	BAT/23727
300 mm*	BAT/23659	BAT/23673	BAT/23687	BAT/23701	BAT/23715	BAT/23729
350 mm	BAT/23661	BAT/23675	BAT/23689	BAT/23703	BAT/23717	BAT/23731
400 mm	BAT/23663	BAT/23677	BAT/23691	BAT/23705	BAT/23719	BAT/23733
END CABLE						
75 mm	BAT/23735	BAT/23749	BAT/23763	BAT/23777	BAT/23791	BAT/23805
95 mm	BAT/23737	BAT/23751	BAT/23765	BAT/23779	BAT/23793	BAT/23807
190 mm	BAT/23739	BAT/23753	BAT/23767	BAT/23781	BAT/23795	BAT/23809
280 mm	BAT/23741	BAT/23755	BAT/23769	BAT/23783	BAT/23797	BAT/23811
300 mm	BAT/23743	BAT/23757	BAT/23771	BAT/23785	BAT/23799	BAT/23813
350 mm	BAT/23745	BAT/23759	BAT/23773	BAT/23787	BAT/23801	BAT/23815
400 mm	BAT/23747	BAT/23761	BAT/23775	BAT/23789	BAT/23803	BAT/23817

■ = stock item

* other dimensions on demand

BATTERY TERMINALS



BAT/19661
Fast-connection cable for maintenance charge, isolated.



BAT/33955 Automot. adaptor M6
BAT/33956 Automot. adaptor M8



BAT/15206
Quick set-up battery terminal 2 pcs



BAT/26528
Terminals to convert a small pole into a big pole



BAT/19608 [+]
BAT/19609 [-]
BAT/19628 [±]
Battery terminal heavy Ø 70
BAT/35292
Standard terminals 70mm²
Kit of 10 pairs [+] and [-]



BAT/19604 [-]
BAT/19606 [+]
BAT/19626 [±]
Battery terminal standard light



BAT/19614 [-]
Battery terminal heavy, 2 screws
BAT/19616 [+]
Battery terminal heavy, 3 screws



BAT/19610 [+]
BAT/19612 [-]
Battery terminal heavy type Alpha



BAT/19630 [+]
BAT/19632 [-]
BAT/19624 [±]
Ford terminals



BAT/19618 [+]
BAT/19620 [-]
Battery terminal heavy universal



BAT/15154 Lightning [+]
BAT/15155 Lightning [-]
Battery terminal
BAT/35155 [±]
Adapter type "Marine" by set +/-



BAT/41837 [+]
Positive terminal adaptor 5/16" internal thread
BAT/41838 [-]
Negative terminal adaptor 5/16" internal thread



BATTERY ACCESSORIES

COMPONENT LIST FOR BATTERIES

PRE-INSULATED TERMINALS

	Reference	Colour	Cable	Dimensions	Description	Pieces
	BAT/18008	red	1,5 mm ²		round female	12
	BAT/18011	red	1,5 mm ²		round female	100
	BAT/18013	red	1,5 mm ²		flat female	12
	BAT/18015	red	1,5 mm ²	6,3 x 0,8	flat female	100
	BAT/26981	red	1,5 mm ²	4,8 x 0,8	flat female	100
	BAT/18017	red	1,5 mm ²		round male	12
	BAT/18019	red	1,5 mm ²	Ø 4	round male	100
	BAT/18043	bleu	2,5 mm ²	Ø 5	round male	100
	BAT/44811	yellow	4 - 6 mm ²	Ø 5	round male	100
	BAT/18021	red	1,5 mm ²		flat male	12
	BAT/18023	red	1,5 mm ²	6,3 x 0,8	flat male	100
	BAT/18025	bleu	2,5 mm ²		round female	12
	BAT/18027	bleu	2,5 mm ²		round female	100
	BAT/18029	bleu	2,5 mm ²		flat female	12
	BAT/18031	bleu	2,5 mm ²		flat female	100
	BAT/44812	yellow	4 - 6 mm ²	Ø 5	round female	100
	BAT/18033	bleu	2,5 mm ²		flat female	12
	BAT/18035	bleu	2,5 mm ²	6,3 x 0,8	flat female	100
	BAT/26983	bleu	2,5 mm ²	4,8 x 0,8	flat female	100
	BAT/18037	bleu	2,5 mm ²		male + female	12
	BAT/18039	bleu	2,5 mm ²	6,3 x 0,8	male + female	100
	BAT/18041	bleu	2,5 mm ²		round male	12
	BAT/18043	bleu	2,5 mm ²		round male	100
	BAT/18045	bleu	2,5 mm ²		flat male	12
	BAT/18047	bleu	2,5 mm ²	6,3 x 0,8	flat male	100
	BAT/18051	bleu	2,5 mm ²		connector	12
	BAT/18049	bleu	2,5 mm ²		connector	100
	BAT/18053	bleu	5 mm ²		earthing	12
	BAT/27275	bleu	1 - 2,5 mm ²	M5	earthing	100
	BAT/18055	bleu	6 mm ²		earthing	12
	BAT/18057	bleu	6 mm ²		earthing	100
	BAT/45084	yellow	4 - 6 mm ²	M4	earthing	100
	BAT/18052	yellow	4 - 6 mm ²	M5	earthing	100



BAT/17653

Cable shoes
assortment 100 pcs



BAT/18061

Cable shoes
Assortment box 150 pcs



BAT/18071
Electrical wiring 5m

BAT/18072	0,5 mm ²	red
BAT/18074	0,5 mm ²	bleu
BAT/18076	0,5 mm ²	black
BAT/18070	0,75 mm ²	red
BAT/27657	0,75 mm ²	black
BAT/27658	0,75 mm ²	red

BAT/18071	1,5 mm ²	blue
BAT/18073	1,5 mm ²	brown
BAT/18075	1,5 mm ²	black
BAT/18077	1,5 mm ²	red
BAT/18079	2,5 mm ²	blue
BAT/18081	2,5 mm ²	brown
BAT/18083	2,5 mm ²	black
BAT/18085	2,5 mm ²	red

BATTERY CLAMPS

	Cable Ø	Cable	bolt mm						
			5	6	8	10	12	14	16
	4,4 mm	10 mm ²	BAT/18712	BAT/18714	BAT/18716	BAT/18718	BAT/18720		
	5,6 mm	16 mm ²		BAT/18722	BAT/18724	BAT/18727	BAT/18729		
	7,0 mm	25 mm ²		BAT/18731	BAT/18733	BAT/18735	BAT/18737		
	8,2 mm	35 mm ²		BAT/18739	BAT/18741	BAT/18743	BAT/18745		
	9,5 mm	50 mm ²		BAT/18747	BAT/18749	BAT/18751	BAT/18753	BAT/18755	
	11,5 mm	70 mm ²			BAT/18757	BAT/18759	BAT/18761	BAT/18763	BAT/18765
	13,5 mm	95 mm ²				BAT/18767	BAT/18769	BAT/18771	BAT/18773



BAT/18807
Universal battery holder for lengths up to 348 mm, appropriate for most battery types.



BAT/15149
Fuse switch 12/24V
Antitheft



BAT/18113
Fuse switch 12/24V
Antitheft



BAT/18779
Cable for starting batteries
Cable para baterías de arranque

61/1.13 mm, 60 mm ² , 415 amps.	
neg → pos	
BAT/18779	150 mm
BAT/18781	225 mm
BAT/18783	300 mm
pos → neg	
BAT/18939	150 mm
BAT/18941	225 mm
BAT/18943	300 mm



BAT/18785
Anti-corrosion ring for starting batteries:
red & blue.



BAT/18117 - 19 mm x 10 m
Insulating tape 6 pcs (white/red/blue)

BAT/45909 - 19 mm x 10 m
Insulating tape 10 pcs (different colours)



BAT/45910
Heat shrink tubing kit 180 pcs

Size		Colour	Length	Pieces
D	d		m	
3,2	1,6	black / blue / yellow / red / white	0,05	75
4,8	2,4	black / blue / yellow / red / white	0,05	30
9,5	4,8	black / blue / yellow / red / white	0,05	50
12,7	6,4	black / blue / yellow / red / white	0,07	25

